


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search:  The ACM Digital Library  The Guide

+inline +graph cost benefit ratio

**THE ACM DIGITAL LIBRARY**
[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used: **inline graph cost benefit ratio**

Found 2,024 of 212,128

Sort results by relevance

 [Save results to a Binder](#)
[Try an Advanced Search](#)

Display results expanded form

 [Search Tips](#)
[Try this search in The ACM Guide](#)
 [Open results in a new window](#)

Results 1 - 20 of 200

 Result page: **1** [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale

### **1 A comparative study of static and profile-based heuristics for inlining**

Matthew Arnold, Stephen Fink, Vivek Sarkar, Peter F. Sweeney

 January 2000 **ACM SIGPLAN Notices, Proceedings of the ACM SIGPLAN workshop on Dynamic and adaptive compilation and optimization DYNAMO '00**, Volume 35 Issue 7

**Publisher:** ACM Press

 Full text available: [pdf\(1.13 MB\)](#)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

In this paper, we present a comparative study of static and profile-based heuristics for inlining. Our motivation for this study is to use the results to design the best inlining algorithm that we can for the Jalapeño dynamic optimizing compiler for Java [6]. We use a well-known approximation algorithm for the KNAPSACK problem as a common "meta-algorithm" for the inlining heuristics studied in this paper. We present performance results for an implementation of these inlinin ...

### **2 Design and evaluation of dynamic optimizations for a Java just-in-time compiler**

 Toshio Suganuma, Toshiaki Yasue, Motohiro Kawahito, Hideaki Komatsu, Toshio Nakatani  
July 2005 **ACM Transactions on Programming Languages and Systems (TOPLAS)**, Volume 27 Issue 4

**Publisher:** ACM Press

 Full text available: [pdf\(1.60 MB\)](#)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The high performance implementation of Java Virtual Machines (JVM) and Just-In-Time (JIT) compilers is directed toward employing a dynamic compilation system on the basis of online runtime profile information. The trade-off between the compilation overhead and performance benefit is a crucial issue for such a system. This article describes the design and implementation of a dynamic optimization framework in a production-level Java JIT compiler, together with two techniques for profile-directed o ...

**Keywords:** JIT compiler, Recompilation, adaptive optimization, code specialization, dynamic compilation, profile-directed method inlining

### **3 When to use a compilation service?**

Jeffrey Palm, Han Lee, Amer Diwan, J. Eliot B. Moss

 June 2002 **ACM SIGPLAN Notices, Proceedings of the joint conference on Languages, compilers and tools for embedded systems: software and compilers for**

## EAST Search History

L9	4	(junjie near gu).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/13 11:49
L10	311	6 and "717"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/13 11:59
L11	62	10 and heuristic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/13 12:12

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9304	(inlin\$3 or in-lin\$3) and (graph or tree) and (frequenc\$2 or call)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/13 11:49
L2	1400	L1 and ((updat\$3 or new or upgrad\$3 or inlined) with (frequen\$3 or call\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/13 11:49
L3	160	L2 and heuristic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/13 11:49
L4	685	L1 and ((updat\$3 or upgrad\$3) with (frequen\$3 or call\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/13 11:49
L5	95	L4 and heuristic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/13 11:59
L6	7388	(inlin\$3 or in-lin\$3) and graph and (frequenc\$2 or call)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/13 11:49
L7	12	L3 and ((comput\$3 or calculat\$3 or determin\$3 or analyz\$3 or analysis) with (cost or benefit ) with (call\$1 or frequen\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/13 11:49
L8	2	"5740443".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/13 11:49